Index

Volume 6 Subject Index 1997

3% silicon steel

Characterization of Internal Oxide Layers in 3% Si Grain-Oriented Steel by Electrochemical Methods 6,6; 722-727

ac conductivity

Studies on Sensitivity of Porous Silicon Surfaces to Environmental Gases 6,2; 161-164

acid resistance

Electrodeposition and Corrosion Resistance of Ni-W-B Coatings 6,4; 413-416

adhesive wear

Friction and Wear of Si_3N_4 Ceramic/Stainless Steel Sliding Contacts in Dry and Lubricated Conditions 6,2; 203-208

adiabatic shear banding

A Note on the Problem of Shear Localization during Chip Formation in Orthogonal Machining 6,1; 25-26

aging

Elevated-Temperature Coarsening Behavior in Aluminum Alloys 6,1; 102-105

Performance Modeling of Arabian Asphalt Using HP-GPC 6,4; 503-510

Al6061-T651

Mechanisms Governing Deformation and Damage during Elevated-Temperature Fatigue of an Aluminum-Magnesium-Silicon Alloy 6,2; 187-198

alloy 2024

Superplastic Deformation of SiC_p/2024 Al Composite Fabricated by Spray Atomization and Codeposition 6,5; 664-666

alloy 24

Influence of Alloying Elements on the Corrosion Performance of Alloy 33 and Alloy 24 in Seawater 6,6; 743-748

alloy 33

Influence of Alloying Elements on the Corrosion Performance of Alloy 33 and Alloy 24 in Seawater 6,6; 743-748

aluminum

Characterization of Phosphate Films on Aluminum Surfaces 6,4; 405-412

Investigation of Microstructure of Laser Cladding Ni-WC Layer on Al-Si Alloy 6,1; 41-45

Superplastic Deformation of 15 vol% SiC_p/LY12 Aluminum Composite under an Electric Field 6,5; 667-670

aluminum alloy

Elevated-Temperature Coarsening Behavior in Aluminum Alloys 6,1; 102-105

Fabrication of Metal-Matrix Composites by Application of the Superplasticity Effect 6,4; 461-468

The Fatigue Response and Fracture Behavior of a Spray Atomized and Deposited Aluminum-Silicon Alloy 6,5; 654-663

Ion Implantation and Diamond-Like Coatings of Aluminum Alloys 6,2; 223-239

Mechanisms Governing Deformation and Damage during Elevated-Temperature Fatigue of an Aluminum-Magnesium-Silicon Alloy 6,2; 187-198

Superplastic Deformation of SiC_p/2024 Al Composite Fabricated by Spray Atomization and Codeposition 6,5; 664-666

The Tensile Response and Fracture Behavior of an Al-Zn-Mg-Cu Alloy: Influence of Temperature 6,3; 349-358

Validation of a Systematic Approach to Modeling Spray Quenching of Aluminum Alloy Extrusions, Composites, and Continuous Castings 6,1; 77-92

aluminum alloy 6061-T6

Comparison of Unextruded Air Slip Direct Chill Cast 6061 Ingot with Bar Stock Extruded from Conventional Direct Chill Cast 6061 Ingot 6,4; 469-472

amorphous carbon coatings

Characterization of Silicon-Stabilized Amorphous Hydrogenated Carbon 6,4; 426-432

amorphous structure

Investigation of Microstructure of Laser Cladding Ni-WC Layer on Al-Si Alloy 6,1; 41-45

asphalt

Performance Modeling of Arabian Asphalt Using HP-GPC 6,4; 503-510

atomic structure

Characterization of Silicon-Stabilized Amorphous Hydrogenated Carbon 6,4; 426-432

automotive applications

Characterization of Silicon-Stabilized Amorphous Hydrogenated Carbon 6,4; 426-432

average plastic strain ratio

Influence of Inclusion Characteristics on the Formability and Toughness Properties of a Hot-Rolled Deep-Drawing Quality Steel 6,1; 27-34

banded structure

Influence of Banded Structure on the Mechanical Properties of a High-Strength Maraging Steel 6,2; 165-171

boron nitride

Laser Ablation Synthesis and Characterization of Nitride Coatings 6,5; 577-582

brass

The Influence of Deformation Heat Treatment on the Structure and Wear Resistance of CuZnPb Brass 6,1; 73-76

braze alloys

Low-Melting-Point Titanium-Base Brazing Alloys—Part 1: Characteristics of Two-, Three-, and Four-Component Filler Metals 6,6; 792-796

brazing

Low-Melting-Point Titanium-Base Brazing Alloys—Part 2: Characteristics of Brazing Ti-21Ni-14Cu on Ti-6Al-4V Substrate 6,6; 797-803

buffer layer

Structural and Hardness Studies of CN_x/TiN Composite Coatings on Si (100) Substrates by Laser Ablation Method 6,5; 583-585

butadiene

Performance Modeling of Arabian Asphalt Using HP-GPC 6,4; 503-510

Index

Volume 6 Subject Index 1997

3% silicon steel

Characterization of Internal Oxide Layers in 3% Si Grain-Oriented Steel by Electrochemical Methods 6,6; 722-727

ac conductivity

Studies on Sensitivity of Porous Silicon Surfaces to Environmental Gases 6,2; 161-164

acid resistance

Electrodeposition and Corrosion Resistance of Ni-W-B Coatings 6,4; 413-416

adhesive wear

Friction and Wear of Si_3N_4 Ceramic/Stainless Steel Sliding Contacts in Dry and Lubricated Conditions 6,2; 203-208

adiabatic shear banding

A Note on the Problem of Shear Localization during Chip Formation in Orthogonal Machining 6,1; 25-26

aging

Elevated-Temperature Coarsening Behavior in Aluminum Alloys 6,1; 102-105

Performance Modeling of Arabian Asphalt Using HP-GPC 6,4; 503-510

Al6061-T651

Mechanisms Governing Deformation and Damage during Elevated-Temperature Fatigue of an Aluminum-Magnesium-Silicon Alloy 6,2; 187-198

alloy 2024

Superplastic Deformation of SiC_p/2024 Al Composite Fabricated by Spray Atomization and Codeposition 6,5; 664-666

alloy 24

Influence of Alloying Elements on the Corrosion Performance of Alloy 33 and Alloy 24 in Seawater 6,6; 743-748

alloy 33

Influence of Alloying Elements on the Corrosion Performance of Alloy 33 and Alloy 24 in Seawater 6,6; 743-748

aluminum

Characterization of Phosphate Films on Aluminum Surfaces 6,4; 405-412

Investigation of Microstructure of Laser Cladding Ni-WC Layer on Al-Si Alloy 6,1; 41-45

Superplastic Deformation of 15 vol% SiC_p/LY12 Aluminum Composite under an Electric Field 6,5; 667-670

aluminum alloy

Elevated-Temperature Coarsening Behavior in Aluminum Alloys 6,1; 102-105

Fabrication of Metal-Matrix Composites by Application of the Superplasticity Effect 6,4; 461-468

The Fatigue Response and Fracture Behavior of a Spray Atomized and Deposited Aluminum-Silicon Alloy 6,5; 654-663

Ion Implantation and Diamond-Like Coatings of Aluminum Alloys 6,2; 223-239

Mechanisms Governing Deformation and Damage during Elevated-Temperature Fatigue of an Aluminum-Magnesium-Silicon Alloy 6,2; 187-198

Superplastic Deformation of SiC_p/2024 Al Composite Fabricated by Spray Atomization and Codeposition 6,5; 664-666

The Tensile Response and Fracture Behavior of an Al-Zn-Mg-Cu Alloy: Influence of Temperature 6,3; 349-358

Validation of a Systematic Approach to Modeling Spray Quenching of Aluminum Alloy Extrusions, Composites, and Continuous Castings 6,1; 77-92

aluminum alloy 6061-T6

Comparison of Unextruded Air Slip Direct Chill Cast 6061 Ingot with Bar Stock Extruded from Conventional Direct Chill Cast 6061 Ingot 6,4; 469-472

amorphous carbon coatings

Characterization of Silicon-Stabilized Amorphous Hydrogenated Carbon 6,4; 426-432

amorphous structure

Investigation of Microstructure of Laser Cladding Ni-WC Layer on Al-Si Alloy 6,1; 41-45

asphalt

Performance Modeling of Arabian Asphalt Using HP-GPC 6,4; 503-510

atomic structure

Characterization of Silicon-Stabilized Amorphous Hydrogenated Carbon 6,4; 426-432

automotive applications

Characterization of Silicon-Stabilized Amorphous Hydrogenated Carbon 6,4; 426-432

average plastic strain ratio

Influence of Inclusion Characteristics on the Formability and Toughness Properties of a Hot-Rolled Deep-Drawing Quality Steel 6,1; 27-34

banded structure

Influence of Banded Structure on the Mechanical Properties of a High-Strength Maraging Steel 6,2; 165-171

boron nitride

Laser Ablation Synthesis and Characterization of Nitride Coatings 6,5; 577-582

brass

The Influence of Deformation Heat Treatment on the Structure and Wear Resistance of CuZnPb Brass 6,1; 73-76

braze alloys

Low-Melting-Point Titanium-Base Brazing Alloys—Part 1: Characteristics of Two-, Three-, and Four-Component Filler Metals 6,6; 792-796

brazing

Low-Melting-Point Titanium-Base Brazing Alloys—Part 2: Characteristics of Brazing Ti-21Ni-14Cu on Ti-6Al-4V Substrate 6,6; 797-803

buffer layer

Structural and Hardness Studies of CN_x/TiN Composite Coatings on Si (100) Substrates by Laser Ablation Method 6,5; 583-585

butadiene

Performance Modeling of Arabian Asphalt Using HP-GPC 6,4; 503-510

CAE system
Development and Implementation of CAE System "HEARTS" for Heat Treatment Simulation Based on Metallo-Thermo-Mechanics 6,1; 51-60

carbon nitride
Structural and Hardness Studies of CN_x/TiN Composite Coatings on Si (100) Substrates by Laser Ablation Method 6,5; 583-585

carbon steels
Spheroidization of Medium-Carbon Steels 6,1; 69-72

carburization
Development and Implementation of CAE System "HEARTS" for Heat Treatment Simulation Based on Metallo-Thermo-Mechanics 6,1; 51-60

cathodic protection
Effect of Heat Treatment on the Efficiency of Mg Anodes 6,4; 449-453

CDA706
The Susceptibility of 90Cu-10Ni Alloy to Stress Corrosion Cracking in Seawater Polluted by Sulfide Ions 6,4; 534-544

ceramic cutting tools
Wear Maps of Si_3N_4 Ceramic Cutting Tool 6,5; 671-675

ceramics
Nondestructive Evaluation of Plasma-Sprayed Thermal Barrier Coatings 6,5; 591-595

chip formation
A Note on the Problem of Shear Localization during Chip Formation in Orthogonal Machining 6,1; 25-26

chromium replacement
Electrodeposition and Corrosion Resistance of Ni-W-B Coatings 6,4; 413-416

coated composite powder
Enhanced Sintering of an Fe-Ni-P Coated Composite Powder Prepared by Electroless Nickel Plating 6,5; 628-632

coating
Accelerated Electrospark Deposition and the Wear Behavior of Coatings 6,6; 780-784
Characterization of Phosphate Films on Aluminum Surfaces 6,4; 405-412
Corrosion Protection Ability of Plasma-Deposited Amorphous Hydrogenated Carbon and Fluorocarbon Films 6,5; 586-590
Electrochemical Assessment of Spray-Applied Thermoplastic Coating Barrier Properties 6,4; 417-420
Strength and Modulus of a Molybdenum-Coated Ti-25Al-10Nb-3V-1Mo Intermetallic 6,1; 46-50

cold rolling
The Effect of Cold Rolling Parameters on the Recrystallization Texture of Non-Oriented Electrical Steel 6,6; 701-709

composite
Fabrication of Metal-Matrix Composites by Application of the Superplasticity Effect 6,4; 461-468
Superplastic Deformation of SiC_p/2024 Al Composite Fabricated by Spray Atomization and Codeposition 6,5; 664-666
Tensile Behavior and Cyclic Creep of Continuous Fiber-Reinforced Glass Matrix Composites at Room and Elevated Temperatures 6,3; 344-348

computer model
Validation of a Systematic Approach to Modeling Spray Quenching of Aluminum Alloy Extrusions, Composites, and Continuous Castings 6,1; 77-92

control systems
Modeling and Simulation of Metal Forming Equipment 6,2; 153-160

conversion
Characterization of Phosphate Films on Aluminum Surfaces 6,4; 405-412

conversion coating
Coatings for Rubber Bonding and Paint Adhesion 6,4; 421-425

copper-nickel alloy
The Susceptibility of 90Cu-10Ni Alloy to Stress Corrosion Cracking in Seawater Polluted by Sulfide Ions 6,4; 534-544

core
Moisture Ingression in Honeycomb Core Sandwich Panels 6,6; 732-736

core loss
A New Soft Magnetic Material for ac and dc Motor Applications 6,6; 710-712

corrosion
Characterization of Phosphate Films on Aluminum Surfaces 6,4; 405-412
Corrosion Protection Ability of Plasma-Deposited Amorphous Hydrogenated Carbon and Fluorocarbon Films 6,5; 586-590
The Susceptibility of 90Cu-10Ni Alloy to Stress Corrosion Cracking in Seawater Polluted by Sulfide Ions 6,4; 534-544

cost estimation
A Novel Procedure for Selection of Materials in Concept Design 6,3; 359-364

Cr_3C_2
Development and Performance of New Hard and Wear-Resistant Engineering Materials 6,6; 749-756

Cr steels
Effect of Strain Rate and Temperature on the Tensile Properties of MANET II Steel 6,4; 511-516

crack initiation
The Susceptibility of 90Cu-10Ni Alloy to Stress Corrosion Cracking in Seawater Polluted by Sulfide Ions 6,4; 534-544

crack propagation
Prediction of Fatigue Crack Propagation Life in Notched Members under Variable Amplitude Loading 6,3; 365-373
The Susceptibility of 90Cu-10Ni Alloy to Stress Corrosion Cracking in Seawater Polluted by Sulfide Ions 6,4; 534-544

creep
High-Temperature Performance Evaluation of a Directionally Solidified Nickel-Base Superalloy 6,4; 521-533

cubic orientation
The Effect of Cold Rolling Parameters on the Recrystallization Texture of Non-Oriented Electrical Steel 6,6; 701-709

cumulative damage
Influence of Porosity on Fatigue Cumulative Damage of Sintered Iron 6,5; 615-618

cyclic creep
Tensile Behavior and Cyclic Creep of Continuous Fiber-Reinforced Glass Matrix Composites at Room and Elevated Temperatures 6,3; 344-348

cyclic fatigue
The Fatigue Response and Fracture Behavior of a Spray Atomized and Deposited Aluminum-Silicon Alloy 6,5; 654-663

deformation
The Fatigue Response and Fracture Behavior of a Spray Atomized and Deposited Aluminum-Silicon Alloy 6,5; 654-663
The Influence of Deformation Heat Treatment on the Structure and Wear Resistance of CuZnPb Brass 6,1; 73-76
The Tensile Response and Fracture Behavior of an Al-Zn-Mg-Cu Alloy: Influence of Temperature 6,3; 349-358

deformation and force characteristics
Rolling of a T-Shaped Profiled Strip by the Satellite Mill 6,3; 319-325

defracting crystallite size
Determination of Lattice Parameters, Diffracting Crystallite Size, and Thermal Stability in Mechanically Alloyed Cu-Zn Solid Solutions 6,2; 149-152

dendritic structure
Microstructural Characteristics of High-Temperature Oxidation in Nickel-Base Superalloy 6,2; 219-222

density
A New Soft Magnetic Material for ac and dc Motor Applications 6,6; 710-712

deoxidation
Edge Cracking in Hot-Rolled Coils of Semi-killed Steels 6,5; 605-610

design
High-Temperature Performance Evaluation of a Directionally Solidified Nickel-Base Superalloy 6,4; 521-533

diamond-like coatings
Corrosion Protection Ability of Plasma-Deposited Amorphous Hydrogenated Carbon and Fluorocarbon Films 6,5; 586-590

diamond-like hydrocarbon
Ion Implantation and Diamond-Like Coatings of Aluminum Alloys 6,2; 223-239

diffusion
Low-Melting-Point Titanium-Base Brazing Alloys— Part 2: Characteristics of Brazing Ti-21Ni-14Cu on Ti-6Al-4V Substrate 6,6; 797-803

dispersion-hardened
Mechanical Alloying of Dispersion-Hardened Ni_3Al-B from Elemental Powder Mixtures 6,1; 106-112

distortion control
Calculated Hardenability for Improved Consistency of Properties in Heat Treatable Engineering Steels 6,4; 443-448

distortion prediction
A Comparative Study of Methods Used for the Prediction of Nonisothermal Austenite Decomposition 6,4; 433-442

dry sliding
The Influence of Deformation Heat Treatment on the Structure and Wear Resistance of CuZnPb Brass 6,1; 73-76

ductile failure
Curling of Thin Tubes: Analytical and Experimental Study 6,4; 481-495

duplex stainless steel
Duplex Stainless Steel Fracture Surface Analysis Using X-ray Fractography 6,1; 35-40

dynamic recovery
Duplex Stainless Steel Fracture Surface Analysis Using X-ray Fractography 6,1; 35-40

dynamic strain aging
Effect of Strain Rate and Temperature on the Tensile Properties of MANET II Steel 6,4; 511-516

edge cracking
Edge Cracking in Hot-Rolled Coils of Semi-killed Steels 6,5; 605-610

efficiency analysis
Laser Spot Welding and Efficiency Consideration 6,6; 766-770

electrical conductivity
Rapid Solidification of Copper Alloys with High Strength and High Conductivity 6,5; 611-614

electrochemical impedance spectroscopy
Electrochemical Assessment of Spray-Applied Thermoplastic Coating Barrier Properties 6,4; 417-420

electrochemical property
Low-Melting-Point Titanium-Base Brazing Alloys—Part 1: Characteristics of Two-, Three-, and Four-Component Filler Metals 6,6; 792-796
Low-Melting-Point Titanium-Base Brazing Alloys—Part 2: Characteristics of Brazing Ti-21Ni-14Cu on Ti-6Al-4V Substrate 6,6; 797-803

electron beam welding
Effects of Post-Weld Heat Treatments on the Residual Stress and Mechanical Properties of Electron Beam Welded SAE 4130 Steel Plates 6,1; 61-68

electron microscopy
Elevated-Temperature Coarsening Behavior in Aluminum Alloys 6,1; 102-105

electrospark deposition
Accelerated Electrospark Deposition and the Wear Behavior of Coatings 6,6; 780-784

equipment
Accelerated Electrospark Deposition and the Wear Behavior of Coatings 6,6; 780-784

erosion cavitation
A Metallurgical Approach to Improved Cavitation-Erosion Resistance 6,5; 633-641

expanded polystyrene
Predictive Characterization Model for Impact Cushioning Curves: Configuring the Predictive Characterization Model 6,2; 209-214

explosive bonding
A Metallurgical Approach to Improved Cavitation-Erosion Resistance 6,5; 633-641

extremely thin element
Simulation of Vertical-Horizontal Rolling Process during Width Reduction by Full Three-Dimensional Rigid-Plastic Finite Element Method 6,6; 757-765

extrusion
Comparison of Unextruded Air Slip Direct Chill Cast 6061 Ingot with Bar Stock Extruded from Conventional Direct Chill Cast 6061 Ingot 6,4; 469-472

fabrication costs
A Novel Procedure for Selection of Materials in Concept Design 6,3; 359-364

fatigue
Effects of Ion Irradiation on Fatigue of Fe-12Cr-20Mn Stainless Steel for Fusion Reactor Applications 6,4; 454-460
Influence of Joining on the Fatigue and Fracture Behavior of High Density Polyethylene Pipe 6,4; 473-480
Influence of Porosity on Fatigue Cumulative Damage of Sintered Iron 6,5; 615-618
Mechanisms Governing Deformation and Damage during Elevated-Temperature Fatigue of an Aluminum-Magnesium-Silicon Alloy 6,2; 187-198
A Metallurgical Approach to Improved Cavitation-Erosion Resistance 6,5; 633-641

Fe-Cr-Ni Alloy
Localized Swelling of Fe-Cr-Ni Alloy Rollers in High-Temperature Applications 6,6; 728-731

Fe-Ni-P ternary alloy
Enhanced Sintering of an Fe-Ni-P Coated Composite Powder Prepared by Electroless Nickel Plating 6,5; 628-632

filler metal
Low-Melting-Point Titanium-Base Brazing Alloys—Part 1: Characteristics of Two-, Three-, and Four-Component Filler Metals 6,6; 792-796

finite element method
Development and Implementation of CAE System "HEARTS" for Heat Treatment Simulation Based on Metallo-Thermo-Mechanics 6,1; 51-60
Sensitivity Analysis Based Preform Die Shape Design Using the Finite Element Method 6,3; 303-310
Simulation of Vertical-Horizontal Rolling Process during Width Reduction by Full Three-Dimensional Rigid-Plastic Finite Element Method 6,6; 757-765

flow stress
A New Constitutive Relationship for Alloy TC11 6,4; 545-548

forging
Modeling and Simulation of Metal Forming Equipment 6,2; 153-160
Sensitivity Analysis Based Preform Die Shape Design Using the Finite Element Method 6,3; 303-310

formability
Influence of Inclusion Characteristics on the Formability and Toughness Properties of a Hot-Rolled Deep-Drawing Quality Steel 6,1; 27-34
Spheroidization of Medium-Carbon Steels 6,1; 69-72

forming limit diagram
Influence of Inclusion Characteristics on the Formability and Toughness Properties of a Hot-Rolled Deep-Drawing Quality Steel 6,1; 27-34

fracture
The Fatigue Response and Fracture Behavior of a Spray Atomized and Deposited Aluminum-Silicon Alloy 6,5; 654-663
High-Temperature Performance Evaluation of a Directionally Solidified Nickel-Base Superalloy 6,4; 521-533
Hydrogen Embrittlement of a Ti-Strengthened 250 Grade Maraging Steel 6,2; 177-181
Influence of Joining on the Fatigue and Fracture Behavior of High Density Polyethylene Pipe 6,4; 473-480
The Tensile Response and Fracture Behavior of an Al-Zn-Mg-Cu Alloy: Influence of Temperature 6,3; 349-358

fracture toughness
The Susceptibility of 90Cu-10Ni Alloy to Stress Corrosion Cracking in Seawater Polluted by Sulfide Ions 6,4; 534-544

free-cutting steel
Study on the Machinability of Resulfurized Composite Free-Cutting Steels 6,2; 215-218

friction transformations
Friction and the Development of Hard Alloy Surface Microstructures during Wear 6,6; 737-742

full width at half maximum
Duplex Stainless Steel Fracture Surface Analysis Using X-ray Fractography 6,1; 35-40

fusion reactor
Effects of Ion Irradiation on Fatigue of Fe-12Cr-20Mn Stainless Steel for Fusion Reactor Applications 6,4; 454-460

fusion reactor materials
Effect of Strain Rate and Temperature on the Tensile Properties of MANET II Steel 6,4; 511-516

fuzzy logic
Fuzzy Logic Modeling and Control of Steel Rod Quenching after Hot Rolling 6,5; 599-604

galvannealing
Modeling the Effect of Coating Weight on the Kinetics of Iron Enrichment in Hot Dip Galvanneal Coatings on Interstitial-Free Steel Sheets 6,5; 596-598

gas injection treatment
Effects of Gas Injection Condition on Mixing Efficiency in the Ladle Refining Process 6,1; 113-117

gas sensitivity
Studies on Sensitivity of Porous Silicon Surfaces to Environmental Gases 6,2; 161-164

gas-stirred ladle
Three-Dimensional Fluid Flow Model for Gas-Stirred Ladles 6,3; 311-318

gas-tungsten arc welding
Effect of Sulfur and Oxygen on Weld Penetration of High-Purity Austenitic Stainless Steels 6,4; 496-502

glass matrix
Tensile Behavior and Cyclic Creep of Continuous Fiber-Reinforced Glass Matrix Composites at Room and Elevated Temperatures 6,3; 344-348

grain and twin boundaries
Microstructural Characteristics of High-Temperature Oxidation in Nickel-Base Superalloy 6,2; 219-222

grain refinement
Influence of Banded Structure on the Mechanical Properties of a High-Strength Maraging Steel 6,2; 165-171

grain-oriented electrical steel
Recent Development in Grain-Oriented Electrical Steel with Low Magnetostriction 6,6; 713-721

grain-oriented steel
Characterization of Internal Oxide Layers in 3% Si Grain-Oriented Steel by Electrochemical Methods 6,6; 722-727

growth
Characterization of Phosphate Films on Aluminum Surfaces 6,4; 405-412

hardenability calculation
Calculated Hardenability for Improved Consistency of Properties in Heat Treatable Engineering Steels 6,4; 443-448

hardness
Laser Ablation Synthesis and Characterization of Nitride Coatings 6,5; 577-582
Structural and Hardness Studies of CN_x/TiN Composite Coatings on Si (100) Substrates by Laser Ablation Method 6,5; 583-585

heat
The Influence of Deformation Heat Treatment on the Structure and Wear Resistance of CuZnPb Brass 6,1; 73-76

heat conduction transfer
Inverse Resolution of the Heat-Transfer Equation with Internal Heat Source: Application to the Quenching of Steels with Phase Transformations 6,2; 240-246

heat treating
Spheroidization of Medium-Carbon Steels 6,1; 69-72

heat treatment
Development and Implementation of CAE System "HEARTS" for Heat Treatment Simulation Based on Metallo-Thermo-Mechanics 6,1; 51-60
Effects of Post-Weld Heat Treatments on the Residual Stress and Mechanical Properties of Electron Beam Welded SAE 4130 Steel Plates 6,1; 61-68
Influence of Banded Structure on the Mechanical Properties of a High-Strength Maraging Steel 6,2; 165-171
Overheating of Plasma-Nitrided Workpieces with Cylindrical Blind Holes 6,3; 300-302

heat-affected zone
Gaseous Hydrogen Embrittlement of T-250 Laser Welds 6,2; 182-186

high conductivity
Rapid Solidification of Copper Alloys with High Strength and High Conductivity 6,5; 611-614

high strength
Rapid Solidification of Copper Alloys with High Strength and High Conductivity 6,5; 611-614

homogenization
Influence of Banded Structure on the Mechanical Properties of a High-Strength Maraging Steel 6,2; 165-171

honeycomb panels
Moisture Ingression in Honeycomb Core Sandwich Panels 6,6; 732-736

hot dip galvanized
Modeling the Effect of Coating Weight on the Kinetics of Iron Enrichment in Hot Dip Galvanneal Coatings on Interstitial-Free Steel Sheets 6,5; 596-598

hot isostatic pressing
Development and Performance of New Hard and Wear-Resistant Engineering Materials 6,6; 749-756
Some Reactive Processing Aspects of High-Temperature Aluminides Nb_3Al and RuAl 6,6; 771-779

hot rolled coils
Edge Cracking in Hot-Rolled Coils of Semi-killed Steels 6,5; 605-610

hot working
Edge Cracking in Hot-Rolled Coils of Semi-killed Steels 6,5; 605-610

HP-GPC
Performance Modeling of Arabian Asphalt Using HP-GPC 6,4; 503-510

hydraulics
Modeling and Simulation of Metal Forming Equipment 6,2; 153-160

hydrogen embrittlement
Hydrogen Embrittlement of a Ti-Strengthened 250 Grade Maraging Steel 6,2; 177-181

ideal critical diameter
Calculated Hardenability for Improved Consistency of Properties in Heat Treatable Engineering Steels 6,4; 443-448

IF steels
Modeling the Effect of Coating Weight on the Kinetics of Iron Enrichment in Hot Dip Galvanneal Coatings on Interstitial-Free Steel Sheets 6,5; 596-598

impact energy
Influence of Inclusion Characteristics on the Formability and Toughness Properties of a Hot-Rolled Deep-Drawing Quality Steel 6,1; 27-34

impact properties
Predictive Characterization Model for Impact Cushioning Curves: Configuring the Predictive Characterization Model 6,2; 209-214

IN-738LC
Plasma Transferred Arc Repair Welding of the Nickel-Base Superalloy IN-738LC 6,5; 619-627

inclusions
Edge Cracking in Hot-Rolled Coils of Semi-killed Steels 6,5; 605-610
Influence of Inclusion Characteristics on the Formability and Toughness Properties of a Hot-Rolled Deep-Drawing Quality Steel 6,1; 27-34

infrared absorption
Structural and Hardness Studies of CN_x/TiN Composite Coatings on Si (100) Substrates by Laser Ablation Method 6,5; 583-585

interface
Microstructural Characteristics of High-Temperature Oxidation in Nickel-Base Superalloy 6,2; 219-222

intergranular corrosion cracks
The Susceptibility of 90Cu-10Ni Alloy to Stress Corrosion Cracking in Seawater Polluted by Sulfide Ions 6,4; 534-544

intergranular fracture
Gaseous Hydrogen Embrittlement of T-250 Laser Welds 6,2; 182-186

intermetallic compounds
Strength and Modulus of a Molybdenum-Coated Ti-25Al-10Nb-3V-1Mo Intermetallic 6,1; 46-50

internal and external oxidation
Microstructural Characteristics of High-Temperature Oxidation in Nickel-Base Superalloy 6,2; 219-222

International Annealed Copper Standard (IACS)
Rapid Solidification of Copper Alloys with High Strength and High Conductivity 6,5; 611-614

inverse conduction algorithm
Inverse Resolution of the Heat-Transfer Equation with Internal Heat Source: Application to the Quenching of Steels with Phase Transformations 6,2; 240-246

ion implantation
Ion Implantation and Diamond-Like Coatings of Aluminum Alloys 6,2; 223-239

ionomer
Electrochemical Assessment of Spray-Applied Thermoplastic Coating Barrier Properties 6,4; 417-420

iron phosphate
Coatings for Rubber Bonding and Paint Adhesion 6,4; 421-425

iron-base composites
Development and Performance of New Hard and Wear-Resistant Engineering Materials 6,6; 749-756

joining
Influence of Joining on the Fatigue and Fracture Behavior of High Density Polyethylene Pipe 6,4; 473-480

kinetics of aging
Evaluation of the Nucleation and Coarsening Kinetic Behavior of the Secondary Hardening Carbide of Fe-14Co-10Ni-1Mo-0.16C Steel at Two Chromium Levels, Using an Analytical and Modeling Approach: Part II 6,3; 289-299

$La_xSr_{1-x}MnO_3$ powder properties
Characterization of Ultrafine $La_xSr_{1-x}MnO_3$ Powder Prepared by Spray Pyrolysis 6,5; 649-653

ladle metallurgy
Three-Dimensional Fluid Flow Model for Gas-Stirred Ladles 6,3; 311-318

ladle refining process
Effects of Gas Injection Condition on Mixing Efficiency in the Ladle Refining Process 6,1; 113-117

laser melting
A Study into Effects of CO_2 Laser Melting of Nitrided Ti-6Al-4V Alloy 6,5; 642-648

laser spot welding
Laser Spot Welding and Efficiency Consideration 6,6; 766-770

laser surface cladding
Investigation of Microstructure of Laser Cladding Ni-WC Layer on Al-Si Alloy 6,1; 41-45

life prediction
High-Temperature Performance Evaluation of a Directionally Solidified Nickel-Base Superalloy 6,4; 521-533
Prediction of Fatigue Crack Propagation Life in Notched Members under Variable Amplitude Loading 6,3; 365-373

liquid phase sintering
Enhanced Sintering of an Fe-Ni-P Coated Composite Powder Prepared by Electroless Nickel Plating 6,5; 628-632

localized swelling
Localized Swelling of Fe-Cr-Ni Alloy Rollers in High-Temperature Applications 6,6; 728-731

lubrication
Friction and Wear of Si_3N_4 Ceramic/Stainless Steel Sliding Contacts in Dry and Lubricated Conditions 6,2; 203-208

machinability
Study on the Machinability of Resulfurized Composite Free-Cutting Steels 6,2; 215-218

magnesium
Effect of Heat Treatment on the Efficiency of Mg Anodes 6,4; 449-453

magnesium heat treatment
Effect of Heat Treatment on the Efficiency of Mg Anodes 6,4; 449-453

magnetic
A New Soft Magnetic Material for ac and dc Motor Applications 6,6; 710-712
Recent Development in Grain-Oriented Electrical Steel with Low Magnetostriction 6,6; 713-721

magnetic induction
The Effect of Cold Rolling Parameters on the Recrystallization Texture of Non-Oriented Electrical Steel 6,6; 701-709

magnetic properties
Enhanced Sintering of an Fe-Ni-P Coated Composite Powder Prepared by Electroless Nickel Plating 6,5; 628-632

magnetic steel
Characterization of Internal Oxide Layers in 3% Si Grain-Oriented Steel by Electrochemical Methods 6,6; 722-727

magnetostriction
Recent Development in Grain-Oriented Electrical Steel with Low Magnetostriction 6,6; 713-721

MANET steel
Effect of Strain Rate and Temperature on the Tensile Properties of MANET II Steel 6,4; 511-516

materials costs
A Novel Procedure for Selection of Materials in Concept Design 6,3; 359-364

mechanical alloying
Determination of Lattice Parameters, Diffracting Crystallite Size, and Thermal Stability in Mechanically Alloyed Cu-Zn Solid Solutions 6,2; 149-152
Mechanical Alloying of Dispersion-Hardened Ni_3Al-B from Elemental Powder Mixtures 6,1; 106-112

mechanical properties
Comparison of Unextruded Air Slip Direct Chill Cast 6061 Ingot with Bar Stock Extruded from Conventional Direct Chill Cast 6061 Ingot 6,4; 469-472
Effect of Chromium Additions on the Mechanical and Physical Properties and Microstructure of Fe-Co-Ni-Cr-Mo-C Ultra-High Strength Steel: Part I 6,3; 279-288
Influence of Banded Structure on the Mechanical Properties of a High-Strength Maraging Steel 6,2; 165-171
Mechanical Alloying of Dispersion-Hardened Ni_3Al-B from Elemental Powder Mixtures 6,1; 106-112
A New Constitutive Relationship for Alloy TC11 6,4; 545-548

mechanisms
Mechanisms Governing Deformation and Damage during Elevated-Temperature Fatigue of an Aluminum-Magnesium-Silicon Alloy 6,2; 187-198

melting point
Low-Melting-Point Titanium-Base Brazing Alloys—Part 1: Characteristics of Two-, Three-, and Four-Component Filler Metals 6,6; 792-796

metal fabrication
Curling of Thin Tubes: Analytical and Experimental Study 6,4; 481-495

metal forming
Modeling and Simulation of Metal Forming Equipment 6,2; 153-160

metal pretreatment
Coatings for Rubber Bonding and Paint Adhesion 6,4; 421-425

metallo-thermo-mechanics
Development and Implementation of CAE System "HEARTS" for Heat Treatment Simulation Based on Metallo-Thermo-Mechanics 6,1; 51-60

metal-matrix composite
Effects of Porous Carbon on Sintered Al-Si-Mg Matrix Composites 6,6; 785-791
Superplastic Deformation of SiC_p/2024 Al Composite Fabricated by Spray Atomization and Codeposition 6,5; 664-666

microhardness
Rapid Solidification of Copper Alloys with High Strength and High Conductivity 6,5; 611-614
The Influence of Deformation Heat Treatment on the Structure and Wear Resistance of CuZnPb Brass 6,1; 73-76

microstructure
The Fatigue Response and Fracture Behavior of a Spray Atomized and Deposited Aluminum-Silicon Alloy 6,5; 654-663
Investigation of Microstructure of Laser Cladding Ni-WC Layer on Al-Si Alloy 6,1; 41-45
Low-Melting-Point Titanium-Base Brazing Alloys— Part 2: Characteristics of Brazing Ti-21Ni-14Cu on Ti-6Al-4V Substrate 6,6; 797-803
Mechanisms Governing Deformation and Damage during Elevated-Temperature Fatigue of an Aluminum-Magnesium-Silicon Alloy 6,2; 187-198
The Tensile Response and Fracture Behavior of an Al-Zn-Mg-Cu Alloy: Influence of Temperature 6,3; 349-358

mixing efficiency
Effects of Gas Injection Condition on Mixing Efficiency in the Ladle Refining Process 6,1; 113-117

Mn/S ratio
Edge Cracking in Hot-Rolled Coils of Semi-killed Steels 6,5; 605-610

modulus
Laser Ablation Synthesis and Characterization of Nitride Coatings 6,5; 577-582
Strength and Modulus of a Molybdenum-Coated Ti-25Al-10Nb-3V-1Mo Intermetallic 6,1; 46-50

moisture
Moisture Ingression in Honeycomb Core Sandwich Panels 6,6; 732-736

motor
A New Soft Magnetic Material for ac and dc Motor Applications 6,6; 710-712

nanostructured
Determination of Lattice Parameters, Diffracting Crystallite Size, and Thermal Stability in Mechanically Alloyed Cu-Zn Solid Solutions 6,2; 149-152

Nb_3Al
Some Reactive Processing Aspects of High-Temperature Aluminides Nb_3Al and RuAl 6,6; 771-779

neural network
Predictive Characterization Model for Impact Cushioning Curves: Configuring the Predictive Characterization Model 6,2; 209-214

neural network analysis
A New Constitutive Relationship for Alloy TC11 6,4; 545-548

Ni_3Al-B-ZrO_2
Mechanical Alloying of Dispersion-Hardened Ni_3Al-B from Elemental Powder Mixtures 6,1; 106-112

Ni-base alloy
Plasma Transferred Arc Repair Welding of the Nickel-Base Superalloy IN-738LC 6,5; 619-627

NiTi
A Metallurgical Approach to Improved Cavitation-Erosion Resistance 6,5; 633-641

nitriding
Overheating of Plasma-Nitrided Workpieces with Cylindrical Blind Holes 6,3; 300-302

noise
Recent Development in Grain-Oriented Electrical Steel with Low Magnetostriction 6,6; 713-721

nondestructive evaluation
Nondestructive Evaluation of Plasma-Sprayed Thermal Barrier Coatings 6,5; 591-595

non-oriented electrical steel
The Effect of Cold Rolling Parameters on the Recrystallization Texture of Non-Oriented Electrical Steel 6,6; 701-709

notched member
Prediction of Fatigue Crack Propagation Life in Notched Members under Variable Amplitude Loading 6,3; 365-373

open circuit potential
The Susceptibility of 90Cu-10Ni Alloy to Stress Corrosion Cracking in Seawater Polluted by Sulfide Ions 6,4; 534-544

optimization
Sensitivity Analysis Based Preform Die Shape Design Using the Finite Element Method 6,3; 303-310

oxidation
Localized Swelling of Fe-Cr-Ni Alloy Rollers in High-Temperature Applications 6,6; 728-731
Microstructural Characteristics of High-Temperature Oxidation in Nickel-Base Superalloy 6,2; 219-222

p-n junction
Studies on Sensitivity of Porous Silicon Surfaces to Environmental Gases 6,2; 161-164

particle-reinforced matrix
Superplastic Deformation of SiC_p/2024 Al Composite Fabricated by Spray Atomization and Codeposition 6,5; 664-666

particulate composites
Powder Processing and Properties of Zircon-Reinforced Al-13.5Si-2.5Mg Alloy Composites 6,3; 326-334

passive film
Influence of Alloying Elements on the Corrosion Performance of Alloy 33 and Alloy 24 in Seawater 6,6; 743-748
A Study of the Chemical Composition of the Passive Film on a Ti-Mo Alloy in HCl and H_2SO_4 6,2; 199-202

performance
Characterization of Phosphate Films on Aluminum Surfaces 6,4; 405-412
Performance Modeling of Arabian Asphalt Using HP-GPC 6,4; 503-510

permeability
A New Soft Magnetic Material for ac and dc Motor Applications 6,6; 710-712

permeation
Performance Modeling of Arabian Asphalt Using HP-GPC 6,4; 503-510

phase
Low-Melting-Point Titanium-Base Brazing Alloys—Part 1: Characteristics of Two-, Three-, and Four-Component Filler Metals 6,6; 792-796

phase transformation
A Comparative Study of Methods Used for the Prediction of Nonisothermal Austenite Decomposition 6,4; 433-442
Inverse Resolution of the Heat-Transfer Equation with Internal Heat Source: Application to the Quenching of Steels with Phase Transformations 6,2; 240-246

phosphate
Characterization of Phosphate Films on Aluminum Surfaces 6,4; 405-412

plasma
Plasma Transferred Arc Repair Welding of the Nickel-Base Superalloy IN-738LC 6,5; 619-627

plasma deposition
Corrosion Protection Ability of Plasma-Deposited Amorphous Hydrogenated Carbon and Fluorocarbon Films 6,5; 586-590

plasma nitriding
Overheating of Plasma-Nitrided Workpieces with Cylindrical Blind Holes 6,3; 300-302
A Study into Effects of CO_2 Laser Melting of Nitrided Ti-6Al-4V Alloy 6,5; 642-648

plasma spray
Nondestructive Evaluation of Plasma-Sprayed Thermal Barrier Coatings 6,5; 591-595

plating
Electrodeposition and Corrosion Resistance of Ni-W-B Coatings 6,4; 413-416

polarization
The Susceptibility of 90Cu-10Ni Alloy to Stress Corrosion Cracking in Seawater Polluted by Sulfide Ions 6,4; 534-544

polyethylene
Influence of Joining on the Fatigue and Fracture Behavior of High Density Polyethylene Pipe 6,4; 473-480

polymers
Performance Modeling of Arabian Asphalt Using HP-GPC 6,4; 503-510

porosity
Influence of Porosity on Fatigue Cumulative Damage of Sintered Iron 6,5; 615-618

porous silicon
Studies on Sensitivity of Porous Silicon Surfaces to Environmental Gases 6,2; 161-164

post-weld treatment
Effects of Post-Weld Heat Treatments on the Residual Stress and Mechanical Properties of Electron Beam Welded SAE 4130 Steel Plates 6,1; 61-68

powder metallurgy
A New Soft Magnetic Material for ac and dc Motor Applications 6,6; 710-712

preform design
Sensitivity Analysis Based Preform Die Shape Design Using the Finite Element Method 6,3; 303-310

pressed
A New Soft Magnetic Material for ac and dc Motor Applications 6,6; 710-712

process modeling
A Comparative Study of Methods Used for the Prediction of Nonisothermal Austenite Decomposition 6,4; 433-442

processing aluminum alloys
Comparison of Unextruded Air Slip Direct Chill Cast 6061 Ingot with Bar Stock Extruded from Conventional Direct Chill Cast 6061 Ingot 6,4; 469-472

profiled strip
Rolling of T-Shaped Profiled Strip by the Satellite Mill 6,3; 319-325

property modeling
Evaluation of the Nucleation and Coarsening Kinetic Behavior of the Secondary Hardening Carbide of Fe-14Co-10Ni-1Mo-0.16C Steel at Two Chromium Levels, Using an Analytical and Modeling Approach: Part II 6,3; 289-299

protective layer
Study on the Machinability of Resulfurized Composite Free-Cutting Steels 6,2; 215-218

pulsed laser deposition
Laser Ablation Synthesis and Characterization of Nitride Coatings 6,5; 577-582
Structural and Hardness Studies of CN_x/TiN Composite Coatings on Si (100) Substrates by Laser Ablation Method 6,5; 583-585

quasi-cleavage
Gaseous Hydrogen Embrittlement of T-250 Laser Welds 6,2; 182-186

quench cooling stages
Experimental Determination of the First and Second Critical Heat Flux Densities and Quench Process Characterization 6,1; 93-101

quench modeling
Experimental Determination of the First and Second Critical Heat Flux Densities and Quench Process Characterization 6,1; 93-101

quenchant behavior
Experimental Determination of the First and Second Critical Heat Flux Densities and Quench Process Characterization 6,1; 93-101

quenching
Development and Implementation of CAE System "HEARTS" for Heat Treatment Simulation Based on Metallo-Thermo-Mechanics 6,1; 51-60
Experimental Determination of the First and Second Critical Heat Flux Densities and Quench Process Characterization 6,1; 93-101
Fuzzy Logic Modeling and Control of Steel Rod Quenching after Hot Rolling 6,5; 599-604
Validation of a Systematic Approach to Modeling Spray Quenching of Aluminum Alloy Extrusions, Composites, and Continuous Castings 6,1; 77-92

radiation effects
Effects of Ion Irradiation on Fatigue of Fe-12Cr-20Mn Stainless Steel for Fusion Reactor Applications 6,4; 454-460

reactive sintering
Some Reactive Processing Aspects of High-Temperature Aluminides Nb_3Al and RuAl 6,6; 771-779

rebars
Microstructure and Properties of Thermomechanically Strengthened Reinforcement Bars: A Comparative Assessment of Plain-Carbon and Low-Alloy Steel Grades 6,3; 335-343

recovery
Investigation on Work Softening Behavior of Aluminum and Its Alloys with Iron 6,2; 172-176

reduction in thickness
Investigation on Work Softening Behavior of Aluminum and Its Alloys with Iron 6,2; 172-176

reinforced concrete
Fuzzy Logic Modeling and Control of Steel Rod Quenching after Hot Rolling 6,5; 599-604

requirement definitions
A Novel Procedure for Selection of Materials in Concept Design 6,3; 359-364

residual stress
Duplex Stainless Steel Fracture Surface Analysis Using X-ray Fractography 6,1; 35-40
Effects of Post-Weld Heat Treatments on the Residual Stress and Mechanical Properties of Electron Beam Welded SAE 4130 Steel Plates 6,1; 61-68

resonance
Recent Development in Grain-Oriented Electrical Steel with Low Magnetostriction 6,6; 713-721

resulfured composite system
Study on the Machinability of Resulfurized Composite Free-Cutting Steels 6,2; 215-218

rolling shape factor
The Effect of Cold Rolling Parameters on the Recrystallization Texture of Non-Oriented Electrical Steel 6,6; 701-709

RuAl
Some Reactive Processing Aspects of High-Temperature Aluminides Nb_3Al and RuAl 6,6; 771-779

sandwich panel
Moisture Ingression in Honeycomb Core Sandwich Panels 6,6; 732-736

satellite mill
Rolling of T-Shaped Profiled Strip by the Satellite Mill 6,3; 319-325

scanning electron microscopy
Influence of Alloying Elements on the Corrosion Performance of Alloy 33 and Alloy 24 in Seawater 6,6; 743-748

seawater
The Susceptibility of 90Cu-10Ni Alloy to Stress Corrosion Cracking in Seawater Polluted by Sulfide Ions 6,4; 534-544

section rolling
Rolling of T-Shaped Profiled Strip by the Satellite Mill 6,3; 319-325

self-tempering
Fuzzy Logic Modeling and Control of Steel Rod Quenching after Hot Rolling 6,5; 599-604

SEM linescan image
Microstructural Characteristics of High-Temperature Oxidation in Nickel-Base Superalloy 6,2; 219-222

semi-killed steel
Edge Cracking in Hot-Rolled Coils of Semi-killed Steels 6,5; 605-610

sensitivity analysis
Sensitivity Analysis Based Preform Die Shape Design Using the Finite Element Method 6,3; 303-310

shape memory alloys
Compressive Training of the Shape Memory Alloy Washer 6,4; 517-520

shielding gases
Effect of Sulfur and Oxygen on Weld Penetration of High-Purity Austenitic Stainless Steels 6,4; 496-502

silicon nitride
Friction and Wear of Si_3N_4 Ceramic/Stainless Steel Sliding Contacts in Dry and Lubricated Conditions 6,2; 203-208

silicon steel
Recent Development in Grain-Oriented Electrical Steel with Low Magnetostriction 6,6; 713-721

sintering
Effects of Porous Carbon on Sintered Al-Si-Mg Matrix Composites 6,6; 785-791
Powder Processing and Properties of Zircon-Reinforced Al-13.5Si-2.5Mg Alloy Composites 6,3; 326-334

slow strain rate tests
The Susceptibility of 90Cu-10Ni Alloy to Stress Corrosion Cracking in Seawater Polluted by Sulfide Ions 6,4; 534-544

spheroidization
Spheroidization of Medium-Carbon Steels 6,1; 69-72
spot analysis
Microstructural Characteristics of High-Temperature Oxidation in Nickel-Base Superalloy 6,2; 219-222
spray pyrolysis
Characterization of Ultrafine $La_xSr_{1-x}MnO_3$ Powder Prepared by Spray Pyrolysis 6,5; 649-653
spray quenching
Validation of a Systematic Approach to Modeling Spray Quenching of Aluminum Alloy Extrusions, Composites, and Continuous Castings 6,1; 77-92
stainless steel
Effects of Ion Irradiation on Fatigue of Fe-12Cr-20Mn Stainless Steel for Fusion Reactor Applications 6,4; 454-460
Effect of Sulfur and Oxygen on Weld Penetration of High-Purity Austenitic Stainless Steels 6,4; 496-502
Friction and Wear of Si_3N_4 Ceramic/Stainless Steel Sliding Contacts in Dry and Lubricated Conditions 6,2; 203-208
steel
Calculated Hardenability for Improved Consistency of Properties in Heat Treatable Engineering Steels 6,4; 443-448
steel properties
Effect of Chromium Additions on the Mechanical and Physical Properties and Microstructure of Fe-Co-Ni-Cr-Mo-C Ultra-High Strength Steel: Part I 6,3; 279-288
Evaluation of the Nucleation and Coarsening Kinetic Behavior of the Secondary Hardening Carbide of Fe-14Co-10Ni-1Mo-0.16C Steel at Two Chromium Levels, Using an Analytical and Modeling Approach: Part II 6,3; 289-299
steel rod
Fuzzy Logic Modeling and Control of Steel Rod Quenching after Hot Rolling 6,5; 599-604
steelmaking process
Effects of Gas Injection Condition on Mixing Efficiency in the Ladle Refining Process 6,1; 113-117
strain hardening exponent
Influence of Inclusion Characteristics on the Formability and Toughness Properties of a Hot-Rolled Deep-Drawing Quality Steel 6,1; 27-34
strain rate
Hydrogen Embrittlement of a Ti-Strengthened 250 Grade Maraging Steel 6,2; 177-181
strain recovery
Tensile Behavior and Cyclic Creep of Continuous Fiber-Reinforced Glass Matrix Composites at Room and Elevated Temperatures 6,3; 344-348
strength
Strength and Modulus of a Molybdenum-Coated Ti-25Al-10Nb-3V-1Mo Intermetallic 6,1; 46-50
stress relaxation
Duplex Stainless Steel Fracture Surface Analysis Using X-ray Fractography 6,1; 35-40
High-Temperature Performance Evaluation of a Directionally Solidified Nickel-Base Superalloy 6,4; 521-533
stress-corrosion cracking
The Susceptibility of 90Cu-10Ni Alloy to Stress Corrosion Cracking in Seawater Polluted by Sulfide Ions 6,4; 534-544
structural analysis
Elevated-Temperature Coarsening Behavior in Aluminum Alloys 6,1; 102-105
structural material
Powder Processing and Properties of Zircon-Reinforced Al-13.5Si-2.5Mg Alloy Composites 6,3; 326-334
structure
The Influence of Deformation Heat Treatment on the Structure and Wear Resistance of CuZnPb Brass 6,1; 73-76
sulfide
The Susceptibility of 90Cu-10Ni Alloy to Stress Corrosion Cracking in Seawater Polluted by Sulfide Ions 6,4; 534-544
superplastic composite
Superplastic Deformation of 15 vol% SiC_p/LY12 Aluminum Composite under an Electric Field 6,5; 667-670
superplasticity
Fabrication of Metal-Matrix Composites by Application of the Superplasticity Effect 6,4; 461-468
surface bonding
Coatings for Rubber Bonding and Paint Adhesion 6,4; 421-425
surface finish
Electrodeposition and Corrosion Resistance of Ni-W-B Coatings 6,4; 413-416
T_i-6.5Al-3.5M_o-2Z_r-0.3S_i
A New Constitutive Relationship for Alloy TC11 6,4; 545-548
T-250 maraging steel
Hydrogen Embrittlement of a Ti-Strengthened 250 Grade Maraging Steel 6,2; 177-181
temperature
Electrochemical Assessment of Spray-Applied Thermoplastic Coating Barrier Properties 6,4; 417-420
tempered martensite
Microstructure and Properties of Thermomechanically Strengthened Reinforcement Bars: A Comparative Assessment of Plain-Carbon and Low-Alloy Steel Grades 6,3; 335-343
tempering
Development and Implementation of CAE System "HEARTS" for Heat Treatment Simulation Based on Metallo-Thermo-Mechanics 6,1; 51-60
texture
The Effect of Cold Rolling Parameters on the Recrystallization Texture of Non-Oriented Electrical Steel 6,6; 701-709
thermomechanical treatment
Microstructure and Properties of Thermomechanically Strengthened Reinforcement Bars: A Comparative Assessment of Plain-Carbon and Low-Alloy Steel Grades 6,3; 335-343
three-dimensional fluid flow model
Three-Dimensional Fluid Flow Model for Gas-Stirred Ladles 6,3; 311-318
Ti-6Al-4V
A Note on the Problem of Shear Localization during Chip Formation in Orthogonal Machining 6,1; 25-26
Ti-Al intermetallics
Strength and Modulus of a Molybdenum-Coated Ti-25Al-10Nb-3V-1Mo Intermetallic 6,1; 46-50
Ti-Mo alloy
A Study of the Chemical Composition of the Passive Film on a Ti-Mo Alloy in HCl and H_2SO_4 6,2; 199-202
Ti-Ni-Cu alloys
Low-Melting-Point Titanium-Base Brazing Alloys—Part 1: Characteristics of Two-, Three-, and Four-Component Filler Metals 6,6; 792-796
Ti-Ni-Nb alloys
Compressive Training of the Shape Memory Alloy Washer 6,4; 517-520

titanium
Low-Melting-Point Titanium-Base Brazing Alloys—Part 1: Characteristics of Two-, Three-, and Four-Component Filler Metals 6,6; 792-796
Low-Melting-Point Titanium-Base Brazing Alloys—Part 2: Characteristics of Brazing Ti-21Ni-14Cu on Ti-6Al-4V Substrate 6,6; 797-803

titanium alloy
A New Constitutive Relationship for Alloy TC11 6,4; 545-548
A Study into Effects of CO_2 Laser Melting of Nitrided Ti-6Al-4V Alloy 6,5; 642-648

titanium nitride
Laser Ablation Synthesis and Characterization of Nitride Coatings 6,5; 577-582

transformation modeling
A Comparative Study of Methods Used for the Prediction of Nonisothermal Austenite Decomposition 6,4; 433-442

transformer core
Recent Development in Grain-Oriented Electrical Steel with Low Magnetostriction 6,6; 713-721

tribology
Characterization of Silicon-Stabilized Amorphous Hydrogenated Carbon 6,4; 426-432

tube expansion
Curling of Thin Tubes: Analytical and Experimental Study 6,4; 481-495

tube forming
Curling of Thin Tubes: Analytical and Experimental Study 6,4; 481-495

two-phase flow
Three-Dimensional Fluid Flow Model for Gas-Stirred Ladles 6,3; 311-318

type 304
Effect of Sulfur and Oxygen on Weld Penetration of High-Purity Austenitic Stainless Steels 6,4; 496-502

type 316
Effect of Sulfur and Oxygen on Weld Penetration of High-Purity Austenitic Stainless Steels 6,4; 496-502

ultra high strengh steels
Effect of Chromium Additions on the Mechanical and Physical Properties and Microstructure of Fe-Co-Ni-Cr-Mo-C Ultra-High Strength Steel: Part I 6,3; 279-288

variable amplitude
Prediction of Fatigue Crack Propagation Life in Notched Members under Variable Amplitude Loading 6,3; 365-373

vertical-horizontal rolling
Simulation of Vertical-Horizontal Rolling Process during Width Reduction by Full Three-Dimensional Rigid-Plastic Finite Element Method 6,6; 757-765

vibration
Recent Development in Grain-Oriented Electrical Steel with Low Magnetostriction 6,6; 713-721

void formation
Localized Swelling of Fe-Cr-Ni Alloy Rollers in High-Temperature Applications 6,6; 728-731

voids
Microstructural Characteristics of High-Temperature Oxidation in Nickel-Base Superalloy 6,2; 219-222

water
Moisture Ingression in Honeycomb Core Sandwich Panels 6,6; 732-736

water modeling
Effects of Gas Injection Condition on Mixing Efficiency in the Ladle Refining Process 6,1; 113-117

WC-Co
Friction and the Development of Hard Alloy Surface Microstructures during Wear 6,6; 737-742

WC-Ni
Friction and the Development of Hard Alloy Surface Microstructures during Wear 6,6; 737-742

wear
Effects of Porous Carbon on Sintered Al-Si-Mg Matrix Composites 6,6; 785-791
Friction and the Development of Hard Alloy Surface Microstructures during Wear 6,6; 737-742

wear behavior
Accelerated Electrospark Deposition and the Wear Behavior of Coatings 6,6; 780-784

wear intensity
The Influence of Deformation Heat Treatment on the Structure and Wear Resistance of CuZnPb Brass 6,1; 73-76

wear map
Wear Maps of Si_3N_4 Ceramic Cutting Tool 6,5; 671-675

wear mechanisms
Wear Maps of Si_3N_4 Ceramic Cutting Tool 6,5; 671-675

wear resistant coating
Ion Implantation and Diamond-Like Coatings of Aluminum Alloys 6,2; 223-239

wear-resistant materials
Development and Performance of New Hard and Wear-Resistant Engineering Materials 6,6; 749-756

weld metal
Gaseous Hydrogen Embrittlement of T-250 Laser Welds 6,2; 182-186

welding
Effect of Sulfur and Oxygen on Weld Penetration of High-Purity Austenitic Stainless Steels 6,4; 496-502
Plasma Transferred Arc Repair Welding of the Nickel-Base Superalloy IN-738LC 6,5; 619-627

work softening
Investigation on Work Softening Behavior of Aluminum and Its Alloys with Iron 6,2; 172-176

XPS
A Study of the Chemical Composition of the Passive Film on a Ti-Mo Alloy in HCl and H_2SO_4 6,2; 199-202

X-ray fractography
Duplex Stainless Steel Fracture Surface Analysis Using X-ray Fractography 6,1; 35-40

x-ray photoelectron spectroscopy
Influence of Alloying Elements on the Corrosion Performance of Alloy 33 and Alloy 24 in Seawater 6,6; 743-748

yttria
Nondestructive Evaluation of Plasma-Sprayed Thermal Barrier Coatings 6,5; 591-595

yttria-stabilized zirconia
Characterization of Ultrafine $La_xSr_{1-x}MnO_3$ Powder Prepared by Spray Pyrolysis 6,5; 649-653

zinc phosphate
Coatings for Rubber Bonding and Paint Adhesion 6,4; 421-425

zirconia
Nondestructive Evaluation of Plasma-Sprayed Thermal Barrier Coatings 6,5; 591-595

Accelerated Electrospark Deposition and the Wear Behavior of Coatings 6,6; 780-784

Calculated Hardenability for Improved Consistency of Properties in Heat Treatable Engineering Steels 6,4; 443-448

Characterization of Internal Oxide Layers in 3% Si Grain-Oriented Steel by Electrochemical Methods 6,6; 722-727

Characterization of Phosphate Films on Aluminum Surfaces 6,4; 405-412

Characterization of Silicon-Stabilized Amorphous Hydrogenated Carbon 6,4; 426-432

Characterization of Ultrafine $La_xSr_{1-x}MnO_3$ Powder Prepared by Spray Pyrolysis 6,5; 649-653

Coatings for Rubber Bonding and Paint Adhesion 6,4; 421-425

A Comparative Study of Methods Used for the Prediction of Nonisothermal Austenite Decomposition 6,4; 433-442

Comparison of Unextruded Air Slip Direct Chill Cast 6061 Ingot with Bar Stock Extruded from Conventional Direct Chill Cast 6061 Ingot 6,4; 469-472

Compressive Training of the Shape Memory Alloy Washer 6,4; 517-520

Corrosion Protection Ability of Plasma-Deposited Amorphous Hydrogenated Carbon and Fluorocarbon Films 6,5; 586-590

Curling of Thin Tubes: Analytical and Experimental Study 6,4; 481-495

Determination of Lattice Parameters, Diffracting Crystallite Size, and Thermal Stability in Mechanically Alloyed Cu-Zn Solid Solutions 6,2; 149-152

Development and Implementation of CAE System "HEARTS" for Heat Treatment Simulation Based on Metallo-Thermo-Mechanics 6,1; 51-60

Development and Performance of New Hard and Wear-Resistant Engineering Materials 6,6; 749-756

Duplex Stainless Steel Fracture Surface Analysis Using X-ray Fractography 6,1; 35-40

Edge Cracking in Hot-Rolled Coils of Semi-killed Steels 6,5; 605-610

Effect of Chromium Additions on the Mechanical and Physical Properties and Microstructure of Fe-Co-Ni-Cr-Mo-C Ultra-High Strength Steel: Part I 6,3; 279-288

The Effect of Cold Rolling Parameters on the Recrystallization Texture of Non-Oriented Electrical Steel 6,6; 701-709

Effect of Heat Treatment on the Efficiency of Mg Anodes 6,4; 449-453

Effect of Strain Rate and Temperature on the Tensile Properties of MANET II Steel 6,4; 511-516

Effect of Sulfur and Oxygen on Weld Penetration of High-Purity Austenitic Stainless Steels 6,4; 496-502

Effects of Gas Injection Condition on Mixing Efficiency in the Ladle Refining Process 6,1; 113-117

Effects of Ion Irradiation on Fatigue of Fe-12Cr-20Mn Stainless Steel for Fusion Reactor Applications 6,4; 454-460

Effects of Porous Carbon on Sintered Al-Si-Mg Matrix Composites 6,6; 785-791

Effects of Post-Weld Heat Treatments on the Residual Stress and Mechanical Properties of Electron Beam Welded SAE 4130 Steel Plates 6,1; 61-68

Electrochemical Assessment of Spray-Applied Thermoplastic Coating Barrier Properties 6,4; 417-420

Electrodeposition and Corrosion Resistance of Ni-W-B Coatings 6,4; 413-416

Elevated-Temperature Coarsening Behavior in Aluminum Alloys 6,1; 102-105

Enhanced Sintering of an Fe-Ni-P Coated Composite Powder Prepared by Electroless Nickel Plating 6,5; 628-632

Evaluation of the Nucleation and Coarsening Kinetic Behavior of the Secondary Hardening Carbide of Fe-14Co-10Ni-1Mo-0.16C Steel at Two Chromium Levels, Using an Analytical and Modeling Approach: Part II 6,3; 289-299

Experimental Determination of the First and Second Critical Heat Flux Densities and Quench Process Characterization 6,1; 93-101

Fabrication of Metal-Matrix Composites by Application of the Superplasticity Effect 6,4; 461-468

The Fatigue Response and Fracture Behavior of a Spray Atomized and Deposited Aluminum-Silicon Alloy 6,5; 654-663

Friction and the Development of Hard Alloy Surface Microstructures during Wear 6,6; 737-742

Friction and Wear of Si_3N_4 Ceramic/Stainless Steel Sliding Contacts in Dry and Lubricated Conditions 6,2; 203-208

Fuzzy Logic Modeling and Control of Steel Rod Quenching after Hot Rolling 6,5; 599-604

Gaseous Hydrogen Embrittlement of T-250 Laser Welds 6,2; 182-186

High-Temperature Performance Evaluation of a Directionally Solidified Nickel-Base Superalloy 6,4; 521-533

Hydrogen Embrittlement of a Ti-Strengthened 250 Grade Maraging Steel 6,2; 177-181

Influence of Alloying Elements on the Corrosion Performance of Alloy 33 and Alloy 24 in Seawater 6,6; 743-748

Influence of Banded Structure on the Mechanical Properties of a High-Strength Maraging Steel 6,2; 165-171

The Influence of Deformation Heat Treatment on the Structure and Wear Resistance of CuZnPb Brass 6,1; 73-76

Influence of Inclusion Characteristics on the Formability and Toughness Properties of a Hot-Rolled Deep-Drawing Quality Steel 6,1; 27-34

Influence of Joining on the Fatigue and Fracture Behavior of High Density Polyethylene Pipe 6,4; 473-480

Influence of Porosity on Fatigue Cumulative Damage of Sintered Iron 6,5; 615-618

Inverse Resolution of the Heat-Transfer Equation with Internal Heat Source: Application to the Quenching of Steels with Phase Transformations 6,2; 240-246

Investigation of Microstructure of Laser Cladding Ni-WC Layer on Al-Si Alloy 6,1; 41-45

Investigation on Work Softening Behavior of Aluminum and Its Alloys with Iron 6,2; 172-176

Ion Implantation and Diamond-Like Coatings of Aluminum Alloys 6,2; 223-239

Laser Ablation Synthesis and Characterization of Nitride Coatings 6,5; 577-582

Laser Spot Welding and Efficiency Consideration 6,6; 766-770

Localized Swelling of Fe-Cr-Ni Alloy Rollers in High-Temperature Applications 6,6; 728-731

Low-Melting-Point Titanium-Base Brazing Alloys—Part 1: Characteristics of Two-, Three-, and Four-Component Filler Metals 6,6; 792-796

Low-Melting-Point Titanium-Base Brazing Alloys—Part 2: Characteristics of Brazing Ti-21Ni-14Cu on Ti-6Al-4V Substrate 6,6; 797-803

Mechanical Alloying of Dispersion-Hardened Ni_3Al-B from Elemental Powder Mixtures 6,1; 106-112

Mechanisms Governing Deformation and Damage during Elevated-Temperature Fatigue of an Aluminum-Magnesium-Silicon Alloy 6,2; 187-198

A Metallurgical Approach to Improved Cavitation-Erosion Resistance 6,5; 633-641

Microstructural Characteristics of High-Temperature Oxidation in Nickel-Base Superalloy 6,2; 219-222

Microstructure and Properties of Thermomechanically Strengthened Reinforcement Bars: A Comparative Assessment of Plain-Carbon and Low-Alloy Steel Grades 6,3; 335-343

Modeling and Simulation of Metal Forming Equipment 6,2; 153-160

Modeling the Effect of Coating Weight on the Kinetics of Iron Enrichment in Hot Dip Galvanneal Coatings on Interstitial-Free Steel Sheets 6,5; 596-598

Moisture Ingression in Honeycomb Core Sandwich Panels 6,6; 732-736

A New Constitutive Relationship for Alloy TC11 6,4; 545-548

A New Soft Magnetic Material for ac and dc Motor Applications 6,6; 710-712

Nondestructive Evaluation of Plasma-Sprayed Thermal Barrier Coatings 6,5; 591-595

A Note on the Problem of Shear Localization during Chip Formation in Orthogonal Machining 6,1; 25-26

A Novel Procedure for Selection of Materials in Concept Design 6,3; 359-364

Overheating of Plasma-Nitrided Workpieces with Cylindrical Blind Holes 6,3; 300-302

Performance Modeling of Arabian Asphalt Using HP-GPC 6,4; 503-510

Plasma Transferred Arc Repair Welding of the Nickel-Base Superalloy IN-738LC 6,5; 619-627

Powder Processing and Properties of Zircon-Reinforced Al-13.5Si-2.5Mg Alloy Composites 6,3; 326-334

Prediction of Fatigue Crack Propagation Life in Notched Members under Variable Amplitude Loading 6,3; 365-373

Predictive Characterization Model for Impact Cushioning Curves: Configuring the Predictive Characterization Model 6,2; 209-214

Rapid Solidification of Copper Alloys with High Strength and High Conductivity 6,5; 611-614

Recent Development in Grain-Oriented Electrical Steel with Low Magnetostriction 6,6; 713-721

Rolling of T-Shaped Profiled Strip by the Satellite Mill 6,3; 319-325

Sensitivity Analysis Based Preform Die Shape Design Using the Finite Element Method 6,3; 303-310

Simulation of Vertical-Horizontal Rolling Process during Width Reduction by Full Three-Dimensional Rigid-Plastic Finite Element Method 6,6; 757-765

Some Reactive Processing Aspects of High-Temperature Aluminides Nb_3Al and RuAl 6,6; 771-779

Spheroidization of Medium-Carbon Steels 6,1; 69-72

Strength and Modulus of a Molybdenum-Coated Ti-25Al-10Nb-3V-1Mo Intermetallic 6,1; 46-50

Structural and Hardness Studies of CN_x/TiN Composite Coatings on Si (100) Substrates by Laser Ablation Method 6,5; 583-585

Studies on Sensitivity of Porous Silicon Surfaces to Environmental Gases 6,2; 161-164

A Study into Effects of Co_2 Laser Melting of Nitrided Ti-6Al-4V Alloy 6,5; 642-648

A Study of the Chemical Composition of the Passive Film on a Ti-Mo Alloy in HCl and H_2SO_4 6,2; 199-202

Study on the Machinability of Resulfurized Composite Free-Cutting Steels 6,2; 215-218

Superplastic Deformation of 15 vol% SiC_p/LY12 Aluminum Composite under an Electric Field 6,5; 667-670

Superplastic Deformation of SiC_p/2024 Al Composite Fabricated by Spray Atomization and Codeposition 6,5; 664-666

The Susceptibility of 90Cu-10Ni Alloy to Stress Corrosion Cracking in Seawater Polluted by Sulfide Ions 6,4; 534-544

Tensile Behavior and Cyclic Creep of Continuous Fiber-Reinforced Glass Matrix Composites at Room and Elevated Temperatures 6,3; 344-348

The Tensile Response and Fracture Behavior of an Al-Zn-Mg-Cu Alloy: Influence of Temperature 6,3; 349-358

Three-Dimensional Fluid Flow Model for Gas-Stirred Ladles 6,3; 311-318

Validation of a Systematic Approach to Modeling Spray Quenching of Aluminum Alloy Extrusions, Composites, and Continuous Castings 6,1; 77-92

Wear Maps of Si_3N_4 Ceramic Cutting Tool 6,5; 671-675

Aguilar-Sahagun, G. 6,5; 611-614
Ahmed, M. 6,2; 165-171
Aidun, D.K. 6,4; 496-502
Aifantis, E.C. 6,1; 25-26
Al-Abdul Wahhab, H.I. 6,4; 503-510
Al-Dubabi, I.A. 6,4; 503-510
Alhajji, J.N. 6,4; 534-544
Ali, M.F. 6,4; 503-510
Aliev, A.E. 6,2; 161-164
Alves, Jr., C. 6,3; 300-302
Anand, S. 6,2; 187-198
6,3; 349-358
6,5; 654-663
Andrews, D.J. 6,5; 591-595
Anttila, J. 6,4; 517-520
Arai, S. 6,6; 713-721
Archambault, P. 6,2; 240-246
Arimoto, K. 6,1; 51-60
Asi, I.M. 6,4; 503-510
Astanin, V.V. 6,4; 461-468
Ayer, R. 6,3; 279-288
6,3; 289-299
Azim, A. 6,2; 240-246
Babu, S.V. 6,5; 586-590
Banerjee, N. 6,3; 335-343
Barykin, N.P. 6,1; 73-76
Bayer, A.E. 6,2; 149-152
Bergsma, S.C. 6,4; 469-472
Bhattacharya, A. 6,3; 335-343
Bierwagen, G.P. 6,4; 417-420
Boccaccini, A.R. 6,3; 344-348
Boulos, M.S. 6,4; 421-425
Buchkremer, H.P. 6,6; 771-779
Bularzik, J.H. 6,6; 710-712
Campillo, B. 6,4; 449-453
6,5; 611-614
Cantu, M.W. 6,1; 46-50
Chan, H.L. 6,5; 577-582
6,5; 583-585
Chan, T.-Y. 6,5; 628-632
Chang, E. 6,6; 792-796
6,6; 797-803
Chaudhuri, S.K. 6,5; 605-610
Chen, C. 6,2; 177-181
6,2; 182-186
6,6; 792-796
6,6; 797-803
Chen, D. 6,5; 667-670
Chen, H. 6,4; 473-480
Chen, Y. 6,5; 664-666
6,5; 667-670
Cheng, B. 6,4; 405-412
Chiang, J.-D. 6,1; 113-117
Chou, C.P. 6,5; 619-627
Chuang, T.H. 6,1; 61-68
Chuchom, S. 6,2; 209-214
Cise, D. 6,6; 732-736
Cook, W.T. 6,4; 443-448
Cui, K. 6,2; 215-218
Dahotre, N.B. 6,5; 577-582
6,5; 583-585
De Sousa, R.S. 6,3; 300-302
Denis, S. 6,2; 240-246
Dewhurst, P. 6,3; 359-364
Dhua, S.K. 6,3; 335-343
Dini, J.W. 6,4; 413-416
Ehlers, S.L. 6,1; 77-92
Ejiofor, J.U. 6,3; 326-334
6,6; 785-791
Ekanayake, U. 6,5; 577-582
El-Domiaty, A. 6,4; 481-495
6,4; 534-544
Elmoursi, A.A. 6,2; 223-239
Felde, I. 6,4; 433-442
Flores, O. 6,4; 449-453
Frazier, W.G. 6,2; 153-160
Fu, Z. 6,4; 545-548
Gangopadhyay, A.K. 6,4; 426-432
Genesca, J. 6,4; 449-453
Ghoneim, M.M. 6,4; 511-516
Giorleo, G. 6,5; 599-604
Gnyusov, S.F. 6,6; 737-742
Grandhi, R.V. 6,3; 303-310
Groza, J.R. 6,4; 413-416
Haimi, E. 6,4; 517-520
Hall, D.D. 6,1; 77-92
Hamdi, A.H. 6,2; 223-239
Hashmi, F.H. 6,2; 165-171
Hashmi, M.S.J. 6,5; 642-648
Hayashi, T. 6,3; 319-325
Ho, Y.-H. 6,3; 311-318
Hong, J.K. 6,1; 106-112
Horváth, L. 6,4; 433-442
Hosford, W.F. 6,1; 69-72
Huang, C.C. 6,1; 61-68
Huang, J. 6,1; 25-26
Huang, W.B. 6,2; 177-181
6,2; 182-186
Huff, R. 6,3; 303-310
Hussain, N. 6,2; 219-222
Hutter, A. 6,3; 303-310
Hwang, S.K. 6,1; 106-112
Hwang, W.-S. 6,1; 113-117
6,3; 311-318
Imayeva, L.A. 6,4; 461-468
Inoue, T. 6,1; 51-60
Irwin, R.D. 6,2; 153-160
Janczak, J. 6,3; 344-348
Jeffcoate, C.S. 6,4; 417-420
Jha, S. 6,6; 728-731
Jia, Y. 6,2; 215-218
Jin, Q. 6,2; 172-176
Jones, R. 6,3; 279-288
Juarez-Islas, J. 6,4; 449-453
6,5; 611-614
Kaibyshev, O.A. 6,4; 461-468
Kapsa, P. 6,5; 671-675
Kar, A.K. 6,6; 766-770
Kassner, M.E. 6,4; 469-472
Kawamata, R. 6,6; 701-709
6,6; 713-721
Kern, H. 6,3; 344-348
Keto-Tokoi, J. 6,4; 517-520
Khabibullaev, P.K. 6,2; 161-164
Khalid, F.A. 6,2; 161-164
6,2; 219-222
Khan, A.Q. 6,2; 165-171
Khan, M.H. 6,2; 161-164
Khan, Z. 6,3; 365-373
Kobasko, N.I. 6,1; 93-101
Kokal, H.R. 6,6; 710-712
Kolster, B.H. 6,1; 35-40
Komatsubara, M. 6,6; 722-727
Krause, R.F. 6,6; 710-712
Kubota, T. 6,6; 701-709
6,6; 713-721
Kumar, A. 6,5; 577-582
6,5; 583-585
Kumar, V. 6,5; 605-610
Lakes, R.S. 6,6; 732-736
Latha, G. 6,6; 743-748
Lavernia, E.J. 6,5; 654-663
Lewis, M.H. 6,3; 344-348
Li, F.-Z. 6,2; 172-176
Li, M.Q. 6,5; 664-666
6,5; 667-670
Li, Y.M. 6,2; 177-181
Liang, G.Y. 6,1; 41-45
Lih, W.C. 6,5; 619-627
Lin, S.-T. 6,5; 628-632
Lindroos, V.K. 6,4; 517-520
6,6; 749-756
Liu, E. 6,2; 172-176
Liu, J.J. 6,2; 203-208
Liu, Q. 6,4; 545-548
6,5; 671-675
Liu, X. 6,6; 757-765
Liu, Y.-R. 6,5; 671-675
Liu, Z.-J. 6,2; 172-176
Lopez, F. 6,5; 611-614
Lou, D. 6,2; 215-218
Lu, L. 6,5; 649-653
Luo, Z.B. 6,2; 203-208
Lye, S.-W. 6,2; 209-214
Machmeier, P. 6,3; 279-288
6,3; 289-299
Mahidhara, R.K. 6,1; 102-105
Malaczynski, G.W. 6,2; 223-239
Malas, J.C. 6,2; 153-160
Martin, S.A. 6,4; 496-502
Martinez, L. 6,4; 449-453
Matuszewski, T. 6,3; 279-288
6,3; 289-299
McIntyre, N.S. 6,4; 405-412
McNaughton, W.P. 6,5; 633-641
Medina, E.A. 6,2; 153-160
Memola Capece Minutolo, F. 6,5; 599-604
Miao, H.Z. 6,2; 203-208
Mizokami, M. 6,6; 713-721
Mohamed, K.E. 6,6; 771-779
Mohammed, M.A. 6,5; 642-648
Morgan, R.E. 6,1; 77-92
Morris, P.F. 6,4; 443-448
Morrison, D.J. 6,4; 454-460
Moskalenko, A.A. 6,1; 93-101
Mudawar, I. 6,1; 77-92
Mukerjee, D. 6,3; 335-343
Narendra, N. 6,2; 187-198
O'Brien, J.M. 6,1; 69-72
Oh, Y. 6,3; 289-299
Okorie, B.A. 6,3; 326-334
Pagounis, E. 6,6; 749-756
Palazoglu, A. 6,4; 413-416
Palma, E.S. 6,5; 615-618
Pan, G.-S. 6,6; 780-784
Pan, S.-M. 6,1; 113-117
6,3; 311-318
Pan, Y.C. 6,1; 61-68
Pathiraj, B. 6,1; 35-40
Paul, S.K. 6,1; 27-34
Petschel, M. 6,4; 421-425
Popli, A.M. 6,3; 335-343
Potter, T.J. 6,4; 426-432
Prasad, A. 6,6; 728-731

Prasad, M.S. 6,3; 335-343
Qiu, X. 6,2; 223-239
Qu, J.-X. 6,6; 780-784
Réti, T. 6,4; 433-442
Rajanna, K. 6,1; 35-40
Rajendran, N. 6,6; 743-748
Rajeswari, S. 6,6; 743-748
Ramamurthy, S. 6,4; 405-412
Rauf, A. 6,3; 365-373
Ray, A. 6,1; 27-34
6,3; 335-343
Reddy, R.G. 6,3; 326-334
6,6; 785-791
Reyes, J. 6,5; 611-614
Reynolds, C.C. 6,3; 359-364
Richman, R.H. 6,5; 633-641
Rios, P.R. 6,5; 596-598
Rodriguez, C. 6,4; 449-453
Rokosz, M.J. 6,4; 426-432
Söderberg, O. 6,4; 517-520
Sadykov, F.A. 6,1; 73-76
Sahu, A.K. 6,3; 335-343
Saito, Y. 6,3; 319-325
Sakai, T. 6,3; 319-325
Salam, I. 6,2; 165-171
Sato, K. 6,6; 722-727
Saxena, A. 6,5; 605-610
Scavuzzo, R.J. 6,4; 473-480
Seixas, U.R. 6,5; 596-598
Sen, S.K. 6,3; 335-343
6,6; 728-731
Sengupta, P.P. 6,5; 605-610
Sergi, V. 6,5; 599-604
Shahid, K.A. 6,2; 219-222
Shao, H.-S. 6,6; 780-784
Sirenko, A.A. 6,4; 461-468
Srivatsan, T.S. 6,2; 187-198
6,3; 349-358
6,4; 473-480
6,5; 654-663
Srividya, C. 6,5; 586-590
Steffani, C.P. 6,4; 413-416
Stiles, D. 6,4; 521-533
Stover, D. 6,6; 771-779
Su, C.Y. 6,5; 619-627
Sunkara, M. 6,5; 586-590
Tamor, M.A. 6,4; 426-432
Tang, C. 6,5; 667-670
Tarassov, S.Yu. 6,6; 737-742
Taylor, J.A.T. 6,5; 591-595
Toda, H. 6,6; 722-727
Totten, G.E. 6,1; 93-101
Tsay, L.W. 6,2; 177-181
6,2; 182-186
Tulluri, R. 6,4; 454-460
Utsunomiya, H. 6,3; 319-325
Vaidya, R.U. 6,1; 46-50
Valitov, V.A. 6,1; 73-76
Varadrajan, S. 6,6; 728-731
Vassell, W.C. 6,4; 426-432
Vasudevan, V.K. 6,3; 349-358
Veeraghavan, D. 6,3; 349-358
Vincent, L. 6,5; 671-675
Wang, G. 6,2; 199-202
6,6; 757-765
Wang, H. 6,2; 199-202
Wang, P.-Z. 6,6; 780-784
Webster, G.M. 6,1; 93-101
West, G. 6,3; 344-348
Wierzbicki, A. 6,5; 577-582
Wocken, T.L. 6,4; 417-420
Wolfenden, A. 6,1; 46-50
Wong, T.T. 6,1; 41-45
Woodford, D.A. 6,4; 521-533
Woollard, L. 6,4; 443-448
Wu, B.C. 6,5; 619-627
Wu, S. 6,4; 545-548
Wu, Y. 6,5; 654-663
Xavier, C.R. 6,5; 596-598
Xie, H. 6,5; 649-653
Xiong, S. 6,6; 757-765
Yabumoto, M. 6,6; 713-721
Yamada, K. 6,6; 701-709
Yang, H. 6,4; 545-548
Yilbas, B.S. 6,5; 642-648
6,6; 766-770
Yoon, E.H. 6,1; 106-112
Younas, M. 6,3; 365-373
Yu, Z.-M. 6,2; 172-176
Yuldashev, Sh.U. 6,2; 161-164
Zhang, R. 6,5; 649-653
Zhang, W. 6,6; 757-765
Zhao, B. 6,5; 649-653
Zhao, G.Q. 6,3; 303-310
Zhao, X.Z. 6,2; 203-208
Zhou, Y. 6,6; 780-784
Zhou, Z.-R. 6,5; 671-675
Zhu, B.L. 6,2; 203-208
6,5; 671-675
Zurek, A.K. 6,1; 46-50